

PROGRAMMING SYSTEM DCAMCUT STANDARD for Inventor

DCAMCUT STANDARD for Inventor offers simple and fast programming options directly within the Inventor design environment and, in addition to many other functions, also provides complete technology databases for all common makes of machine.

Minimum system requirements:

- Current Intel or AMD processor with SSE2 support
 - 64-bit operating system recommended
 - Microsoft Windows 10 Professional / 64 Bit
 - With CAD SolidWorks 2022 Microsoft Windows 10, 11/ 64 Bit
 - 16 GB system memory (RAM)
 - 12 GB hard disk space
 - graphic card:
- <https://www.solidworks.com/support/system-requirements>
- USB interface or broadband Internet connection (DVD on request)

We would like to remind you that a valid maintenance contract gives an opportunity to get the latest updates, new product versions and our hotline support services.



FUNCTIONAL SCOPE DCAMCUT STANDARD for Inventor

The DCAMCUT STANDARD for Inventor package offers the following services:

2D Contour Generation

2D contour definition based on CAD-sketches

2-level Contour Generation

Controlled surface machining via existing upper and lower contour and synchronization lines (sketches)

2-Axis pocketing

Standard 2-axis clearing

Standard Simulation

Standard simulation incl. offset surface calculation & visualization for all interfaces

Solid Simulation


Solid Simulation for 3D visualization incl. separation check & removability-analysis

Parametrics

Associativity of existing EDM-jobs into model changing (automatic recalculation on volume models, surface models and sketches)

4-Axis Contour Definition

4-axis contour generation on volume & surface models



SERIAL FUNCTIONS DCAMCUT STANDARD for Inventor

- Global corner rounding
- Automatic gap closing in CAD-data
- Controlled synchronization on 2-level models
- Contour duplication with attached EDM technology
- Implementation of different approach/retraction strategies
- Simple programming of contour multiple connections
- Integrated finish-cut module with freely definable skim-cut strategies
- Free positioning between contours (via action-points) with and without wire
- Punctual manipulation of single contour elements (offset change, conic change, machine-specific commands)
- Automatic classification of the start points through the contour via drawn boreholes
- Multiple definition of boreholes
- Forced perpendicular approach/retraction
- Multiple definition of action points
- Cut off function after skim-cuts
- Overcut with full technology
- Shortened approach for skim-cuts
- Skim-cuts offset
- NC Data output with unicode-characters
- Adaption of local coordinate systems
- Filter for contour selection
- Contour & NC program code information while solid simulation

